A.M.A. ARCHIVES OF

DERMATOLOGY

JUNE 1958

VOLUME 77 NUMBER 6

JANUARY THROUGH JUNE, 1958

AMERICAN MEDICAL ASSOCIATION Publication

RL 1
A 672
v.77

AUTHOR AND TITLE INDEX TO VOLUME 77

In this Index in alphabetical order are the names of the authors of all articles and the presenters of cases in Society Transactions, followed by the title of the article or case presented and the page numbers on which their articles or cases begin. The asterisk (*) preceding the page number indicates an original article, case report, review article, special article, or scientific exhibit.

For Subject Index see page [7].

A

Aaron, J. N.; Kantor, I., and Stromeyer, H.: Vibra-puncture technique in treatment of localized neurodermatitis: preliminary study on effect of hydrocortisone acetate injected by multiple vibra-puncture method into areas of lichen simplex chronicus, *576

Abel, R.: See Sheard, C., Jr., jt. auth.

Albrittain, J. W.: See Arthur, G. W., jt. auth.

Allende, M. F., and Franzblau, M. J.: Congenital lymphedema of extremities and face, 135

Allington, H. V.: Neurofibromatosis, 484

Alston, H. D.: See Lamb, J. H., jt. auth.

Anderson, P. C., and Fleck, R. L.: Drug eruption due to fumagillin complicated by trichophytosis, 720

Andrews, G. C., and Machacek, G. F.: Stewart-Treves syndrome, 364

Ansell, H. B.: See Tye, M. J., jt. auth.

Appel, B.: Hematogenous cutaneous tuberculosis, 468

Mycosis fungoides treated with cathode rays, 471

See Tye, M. J., jt. auth.

Arthur, G. W., and Albrittain, J. W.: Disseminated cutaneous sporotrichosis with systemic involvement, *187

Ayres, S., Jr., and Ayres, S., III: Pyoderma gangrenosum with unusual syndrome of ulcers, vesicles, and arthritis, *269

Ayres, S., III: See Ayres, S., Jr., jt. auth.

B

Babalian, L.: Erythema, probably related to recent Newcastle disease virus infection, 133

Baer, R. L.: Remarks on prevention of allergic sensitization, *682

Balogh, C. J.: See Laymon, C. W., jt. auth.

Barker, L. P.: Leprosy (tuberculoid type), 366

Panniculitis, 242

Tertiary syphilis: (1) aneurysm of ascending aorta with occlusion of superior vena cava (partial) and compression of right pulmonary artery; (2) gumma of forehead; (3) tabes dorsalis, 350

Gross, P., and McCarthy, J. T.: Erythrodermas of infancy: differential clinical study, *201

Barlow, A. J. E., and Chattaway, F. W.: Parasitism of ringworm group of fungi, *399

Barsky, S.; See Cornbleet, T., jt. auth.

Becker, F. T.; Fredricks, M. G.; Schmid, J. F., and Tuura, J. L.: Evaluation of meprobamate in management of selected dermatoses, *406

Becker, S. W., and Lindsay, D. G.: Case for diagnosis: Thomson's poikiloderma; ectodermal and mesodermal dysplasia with osseous involvement (Cole et al.); Rothmund's syndrome? 620

Beerman, H.; Luscombe, H. A., and Greenbaum, C.: Superficial epitheliomatosis, treated, 761

Bernhardt, H. J.: Use of pumice to eradicate milial cysts, 106

Bleier, A. H.: Erythema multiforme, 247

Bleil, D. C.: Unusual toxic manifestations of amodiaquin (Camoquin), 106

Bluefarb, S.; Wallk, S., and Gecht, M. L.: Dermatitis herpetiformis: response to Kynex, 607

Wallk, S., and Gecht, M. L.: Scleroderma under therapy with relaxin, 604

Wallk, S., and Yazdi, H. M.: Tinea versicolor "fluorescent papules," 607

Block, W. D.: See Schuster, D. S., jt. auth.

Bloom, D.; Fisher, D., and Dannenberg, M.: Pyoderma gangrenosum associated with hypogammaglobulinemia: report of 2 cases, *412

Braitman, M.: Junction nevus with spontaneous clinical disappearance, 721

Brandt, R.: Dermatological observations on Navaho reservation, *581

Brennan, B. B., and Teplitz, R.: Hypertrophic lichen planus with epidermoid carcinoma: report of case, 332

Brodey, A.: Case for diagnosis: pemphigus erythematosus? lupus erythematosus bullosus? erythema multiforme bullosum due to Aralen? 237

Cutaneous leishmaniasis, 753

Ragweed dermatitis, 751

Brown, A. M.: Ear-piercing earring: bloodless technique, 107

Burgoon, C. F.; Lutzner, M. A., and Senn, P.: Case for diagnosis: pemphigus foliaceus; pemphigus erythematosus; subcorneal pustular dermatosis? 368

Burks, J. W., Jr.: Effect of dermabrasion on fingerprints: preliminary report, *8

Burns, R. E.: Fungous disease as complication of steroid therapy, *686

C

Campbell, G. R.: See Netherton, E. W., jt. auth.

Canizares, O.: Atrophoderma of Pasini, 236

Jaramillo, F. U., and Vegas, F.: Leukomelanoderma subsequent to application of monobenzoyl ether of hydroquinone: viviligoid reaction observed in Colombia and Venezuela, *220

Sachs, P. M.; Jaimovich, L., and Torres, V. M.: Idiopathic atrophoderma of Pasini and Pierini, *42

Carnazzo, S. J.: See Smith, F. D., jt. auth.

Cassell, R.: See Orfuss, A. J., jt. auth.

Catinella, P. J.: Lichenoid tuberculid, 468

Rosacea-like tuberculid (micropapular tuberculid), 467

Cawley, E. P.: See Wheeler, C. E., jt. auth.

Chattaway, F. W.: See Barlow, A. J. E., jt. auth.

Chaudhuri, S. N.: See Panja, G., jt. auth.

Cipollaro, A. C.: Collagen disease (dermatomyositis?), 757

Contact dermatitis due to Thermo-Fax paper, 334

Claiborne, E. R.: Alopecia universalis, 141

Clendenning, W. E.: See Lascheid, W. P., jt. auth.

Code, C. F.: See Reed, W. B., jt. auth.

Cohen, M. M.: See Ludwig, J. S., jt. auth.

Cooper, J. H.: Microanatomical and histochemical observations on dermal-epidermal junction, *18

Cormia, F. E.: See Dougherty, J. W., jt. auth.

Cornbleet, T.: Nevus unius lateris, 600

Barsky, S., and Firestein, B.: Use of polyvinylpyrrolidone iodine in eczematoid ringworm, 333

Barsky, S., and Gecht, M. L.: Addison's disease, 602

Barsky, S., and Gecht, M. L.: Hemochromatosis (?), 603

Barsky, S., and Gecht, M. L.: Juvenile acanthosis nigricans, 604

Barsky, S., and Yazdi, H. M.: Bromoderma, 606

and Derbes, V.: Dermatitis medicamentosa: meprobamate ichthyosis (?), 600

Wallk, S., and Gecht, M.: Dermatitis herpetiformis under treatment, 603

Costello, M. J.: Case for diagnosis: junction nevus; nevocarcinoma? 755

Xanthoma tuberosum multiplex, 758

See Segal, A. E., jt. auth.

Counter, C. E.: Neurodermatitis (localized)? 131

Crounse, R. G.: See Lerner, A. B., jt. auth.

and Lerner, A. B.: Cryptococcosis: case with unusual skin lesions and favorable response to Amphotericin B therapy, *210

Curth, H. O.: Detection of genetic carriers of inherited disease, 342

Incontinentia pigmenti (reticular type), 747

Curtis, A. C.: See Schuster, D. S., jt. auth.

D

Daniels, F., Jr.; Hopkins, C. E., and Fitzpatrick, T. B.: Effects of oral methoxsalen (8-methoxypsoralen) on sunburn and suntan: blind clinical trial, *503

Dannenberg, M.: See Bloom, D., jt. auth.

Das, B.: See Szolomajer, T., jt. auth.

Davidson, W. N.: See Haserick, J. R., jt. auth.

Davis, M. J., and Lawler, J. C.: Capillary circulation of skin: some normal and pathological findings, *690

Lawler, J. C., and Higdon, R. S.: Studies on adult with urticaria pigmentosa: report of case, *224

Dearing, W. H.: See Kierland, R. R., jt. auth.

Dennie, C. C.; Fuhrman, D. L., and Drowns, B. V.: Phagedenic ulcers, 346

DeOreo, G. A.: Pigeons acting as vector in acariasis caused by Dermanyssus gallinae (DeGeer, 1778), *422

Derbes, V. J.: Smallpox in English poetry of 17th century, *430

See Cornbleet, T., jt. auth.

See Loria, P. R., jt. auth.

Dexter, H. L. T.; Glacy, J.; Leonard, J.; Dexter, M. W., and Lawton, A.: Skin disease due to Mima polymorpha: report of 2 cases, 109

See Dexter, H. L. T., jt. auth.

Domonkos, A. N.: Contact dermatitis due to Thermo-Fax duplicating paper, 625

Familial benign chronic pemphigus (Hailey and Hailey), 625

Dorsey, C. S.: Darier's disease, 758

Dougherty, J. W.: Reticuloendotheliosis (Letterer-Siwe disease), 347

Squamous-cell epithelioma in acrodermatitis chronica atrophicans treated by skin grafting, 349

Cormia, F. E., and Unrau, S.: Proteolytic activity in Pemphigus: II. estimations in skin and blood, *281

Driver, J. R., and Sato, S. I.: Premycotic mycosis fungoides, 613

Sato, S., and Narus, V.: Case for diagnosis: bullous lichen planus, 129

Drowns, B. V.: See Dennie, C. C., jt. auth.

Dunn, F.-C.: Tinea corporis and capitis due to Trichophyton tonsurans, 483

E

Eaton, W. B.: See Smith, F. D., jt. auth.

Ellis, F. A.: See Robinson, H. M., Jr., jt. auth.

Ephraim, A. J., and Kaufman, J. J.: Multiple keratoacanthoma: report of extensive case and its response to therapy, *191

Epstein, E.: Granulomatosis disciformis chronica progressiva, 480

Planing for precancerous skin: follow-up study, *676

Epstein, J. H., and Epstein, N. N.: Porphyria cutanea tarda, 142

Epstein, N. N.: See Epstein, J. H., jt. auth.

Epstein, W. L., and Kligman, A. M.: Treatment of warts with cantharidin, *508

F

Farber, E. M.: See Sage, R. D., jt. auth.
Moreci, A. P., and Sage, R. D.: Chronic perniones, 144
Schneidman, H. M., and Peterson, J. B.: Actinomycosis, 483

Felix, H.: See Haeberlin, J. B., Jr., jt. auth.

Firestein, B.: See Cornbleet, T., jt. auth.

Fisher, A. A.: Allergic eczematous contact dermatitis due to Thermo-Fax paper, 741
Case for diagnosis: tinea corporis; pityriasis rubra pilaris; atypical acrodermatitis enteropathica? 745
Congenital agammaglobulinemia in brothers, 474
Osteoporosis with compression fractures of spine following steroid therapy for long-standing seborrheic dermatitis and/or psoriasis, 475

Fisher, D.: See Bloom, D., jt. auth.

Fitzpatrick, T. B.: See Daniels, F., Jr., jt. auth.

Fleck, R. L.: See Anderson, P. C., jt. auth.

Foster, P. D.: Porphyria cutanea tarda, 618

Frank, L.: Study of antipruritic effects of topical steroids, *433

Franks, A. G.: Lichen sclerosus et atrophicus, 743

Franzblau, M. J.: See Allende, M. F., jt. auth.

Fredricks, M. G.: See Becker, F. T., jt. auth.

Fromer, J.: Aphthosis (Behcet's syndrome, abortive type), 459

Fuhrman, D. L.: See Dennie, C. C., jt. auth.

G

Garb, J.: Case for diagnosis: nonsuppurative nonfebrile panniculitis? 744
Dyskeratosis congenita with pigmentation, dystrophia unguium, and leukoplakia oris: follow-up report of 2 brothers, *704

Garson, W.: See Olansky, S., jt. auth.

Gaul, L. E.: Ring dermatitis: primary irritation from action of salt on jewelry alloys, *526

Gecht, M. L.: See Bluefarb, S., jt. auth.
See Cornbleet, T., jt. auth.
See Omens, D., jt. auth.

George, W. M.: Lichen sclerosus et atrophicus, 138

Glacy, J.: See Dexter, H. L. T., jt. auth.

Goldman, L.; Preston, R. H., and Richfield, D. F.: Extruded basal-cell epithelioma nodules simulating molluscum contagiosum bodies, 331

Goltz, R. W.: Generalized scleroderma (acrosclerosis), calcinosis cutis, 239
Recurrent ulcerations of legs (case for diagnosis), 240

Graham, J. H., and Helwig, E. B.: Isolated dyskeratosis follicularis, *377

Granirer, L. W.: Exfoliative dermatitis as complication of chloroquine (Aralen) therapy in rheumatoid arthritis, 722

Green, W. S.: See Underwood, L. J., jt. auth.

Greenbaum, C.: See Beerman, H., jt. auth.
See Luscombe, H. A., jt. auth.
and Lee, J. B.: Subcorneal pustular dermatosis, *512

Griom, S. F.: Leiomyoma cutis, 601

Gross, P.: Diffuse alopecia (early pseudopelade?), 756
Generalized lichen sclerosus et atrophicus associated with band-like scleroderma (Koebner phenomenon and lichen sclerosus), 752
Lichen sclerosus et atrophicus associated with Pasini's atrophoderma, 354
See Barker, L. P., jt. auth.

Guy, W. B., and Shoemaker, R. J.: Psychophysiological concept of atopic eczema, *34

H

Haeberlin, J. B., Jr.: See Senear, F. E., jt. auth.
and Felix, R.: Hepatic cirrhosis with xanthelasma, jaundice, and nonspecific dermatitis, 609

Hambrick, G. W., Jr.: Dysproteinemic purpura of hypergammaglobulinemic type: clinical features and differential diagnosis, *23

Harber, L. C.: Clinical evaluation of radiation therapy in psoriasis, *554; correction, 712

Haserick, J. R.; Davidson, W. N., Jr., and McDonald, F.: Lupus miliaris disseminatus faciei, 128

Helwig, E. B.: See Graham, J. H., jt. auth.

Hewitt, R. M.: See Kierland, R. R., jt. auth.

Higdon, R. S.: See Davis, M. J., jt. auth.

Hopkins, C. E.: See Daniels, F., Jr., jt. auth.

Hubler, W. R.: Plastic planing in chloracne, 111

Huff, S.: See Webster, J., jt. auth.

Hulett, R. M.: Trichomatrioma: clinicopathologic entity separable from calcifying epithelioma of Malherbe, *285

Hurlbut, W. B.: Alopecia universalis: results of local injections of prednisolone, 623

Hyman, D.: Tinea barbae due to Trychophyton rubrum associated with tinea cruris, pedis, and unguium, 352

I

Ingram, J. T.: Acrosclerosis and systemic sclerosis, *79
Carcinoma erysipelatodes and carcinoma telangiectaticum, *227
Pustular psoriasis, *314

J

Jacobs, P. H.: Urticaria pigmentosa: solitary lesions occurring in mother and daughter, 112

Jaimovich, L.: See Canizares, O., jt. auth.

Jaramillo, F. U.: See Canizares, O., jt. auth.

Johnsen, R. E.: See Schneidman, H. M., jt. auth.

Johnson, S. A. M.: See Woods, S. M., jt. auth.

Johnston, J. H., and Zakon, S. J.: Lichen planus of buccal mucosa: treatment with vitamin A buccal tablets; report of 3 cases, 113

Jones, P. E.: See Lamb, J. H., jt. auth.

Joseph, H. L.: Lentigo maligna (melanotic freckle of Hutchinson) with melanocarcinoma, 134

Justi, R. A.: Sebaceous carcinoma: report of case developing in area of radiodermatitis, *195

K

Kanazawa, M.: See Nishimura, N., jt. auth.

Kantor, I.: See Aaron, J. N., jt. auth.

Kaufman, J. J.: See Ephraim, A. J., jt. auth.

Kelly, E. W., Jr., and Pinkus, H.: Report of case of pachyonychia congenita, 724

Kendrick, F. J.: Dermatitis caused by a copying paper, 334

Kern, A. B.: Case for diagnosis: atrophic lichen planus, 370
Incontinentia pigmenti, 369
Primary omphalitis in adult, *297
See Schiff, B. L., jt. auth.

Kersting, D. W., and Rapaport, I. F.: Clinicopathologic study of skin in mongolism, *319

Kesten, B. M.: Circumscribed myxedema, pretibial and fingers (?) associated with thyrotoxicosis, 351

Kierland, R. R.: See Reed, W. B., jt. auth.
and Hewitt, R. M.: Charts, lantern slides, and comments, *299
Sauer, W. G., and Dearing, W. H.: Cutaneous manifestations of functioning carcinoid, *86

Kinmont, P. D. C.: Clinical trial, *635

Klein, E.: See Lever, W. F., jt. auth.

Kligman, A. M.: Poison ivy (Rhus) dermatitis: experimental study, *149
See Epstein, W. L., jt. auth.

Knox, J. M., and Spiller, W. F.: Eccrine poroma, 726

Kopf, A. W.: Melanotic freckle (Hutchinson) with malignant melanoma, 749
cervicofacial actinomycosis, 613

Kotake, Y.: See Nishimura, N., jt. auth.

Kozikowski, E. S.: Case for diagnosis: probable

Krafchuk, J. D.: See Loria, P. R., jt. auth.

L

Lamb, J. H.; Jones, P. E.; Rebell, G., and Alston, H. D.: Sensitivity to fluorescent (blue-green) light, *519

Lascheid, W. P.; Potts, L. W., and Clendenning, W. E.: Congenital ichthyosiform erythroderma, 612

Latoni, J.: See Webster, J., jt. auth.

Lavette, W.: Hand-Schuller-Christian disease with xanthoma disseminatum, 360

Lawler, J. C.: See Davis, M. J., jt. auth.

Lawton, A.: See Dexter, H. L. T., jt. auth.

Laymon, C. W., and Balogh, C. J.: Lichen sclerosus et atrophicus, 238

Lea, W. A., Jr.: See Schuster, D. S., jt. auth.

Lee, J. B.: See Greenbaum, C. H., jt. auth.

Leijnse, B.: See Tiong Hoo Tio, jt. auth.

Leland, C.: See Maxwell, M., jt. auth.

Leonard, J.: See Dexter, H. L. T., jt. auth.

Lerner, A. B.: See Crounse, R. G., jt. auth.
and Crounse, R. G.: Cutaneous cryptococcosis without apparent systemic involvement, 457

Levan, N. E.: Basal-cell epithelioma arising from verrucous nevus, 131

Lever, W. F.: Primary amyloidosis, 456
and Klein, E.: Idiopathic hyperlipemia and primary hypercholesteremic xanthomatosis: group of 4 cases, 461

Lewis, G. M.: Case for diagnosis: dermatitis factitia; vasculitis, 363

Lincoln, C. S., Jr., and Nordstrom, R. C.: Pigment color in tattoo sections: identification by polarized light, 336

Lindsay, D. G.: See Becker, S. W., jt. auth.

Loria, P. R.; Derbes, V. J., and Krafchuk, J. D.: Keratotic hemangiomas, *216

Lorincz, A. L.; Pearson, R. W., and Reinertson, R.: Congenital hypotrichosis, 607

Lubowe, I. I., and Mandel, E. H.: Molluscum sebaceum, 747

Ludwig, J. S., and Cohen, M. M.: Mixed tumor occurring as syringocystadenoma papilliferum with nevus sebaceus: report of case, 116

Lunseth, J. H.: See Olmstead, E. G., jt. auth.

Luscombe, H. A.: See Beerman, H., jt. auth.
Greenbaum, C., and Jumbala: Capillary hemangioma, 763

Lutzner, M. A.: See Burgoon, C. F., jt. auth.

Mc

McCarthy, J. T.: See Barker, L. P., jt. auth.

McCarthy, P. L.: Granuloma faciale, 458

McDonald, F.: See Haserick, J. R., jt. auth.

McDonald, J. R.: See de Moragas, J. M., jt. auth.

M

Machacek, G. F.: Lichen planus; lichen planopilaris, 367
Multiple keratoacanthomas arising from chronic eczematous dermatitis of contract type, 365
Sarcoidosis, 357
See Andrews, G. C., jt. auth.

Mandel, E. H.: See Lubowe, I. I., jt. auth.

Marciano, M.: Xanthelasma with hemosiderin deposits (hemochromatosis?), 359

Matter, M.: See Wright, E. T., jt. auth.

Maxwell, M.; Leland, C., and Sternberg, T. H.: sclerodermoid syndrome associated with internal tumor, 232

May, S. B.: Leukemia cutis acuta, 760

Mehregan, A.: See Niedelman, M. L., jt. auth.

Merenlender, I. J.: Atypical cutis gyrata: skin changes resembling cutis gyrata, *669

Mescon, H., and Ronchese, F. W.: Xeroderma pigmentosum; multiple keratoses and basal-cell epitheliomas; multiple malignant melanomas, 471

Michelson, H. E.: Erythema nodosum, *546

Miller, J. L.: Case for diagnosis: lymphoma?, 244
Case for diagnosis: nummular eczema, 245
Generalized granuloma annulare, 243

Miller, N. G.: See Smith, F. D., jt. auth.

Montgomery, H.: See de Moragas, J. M., jt. auth.
Polley, H. F., and Pugh, D. G.: Reticulohistiocytoma (reticulohistiocytic granuloma), *61

Montgomery, R. M.: Actinomycosis, 357
and Young, A. W., Jr.: Cutaneous papillomatosis: nummular and confluent variety, *396

de Moragas, J. M.; Montgomery, H., and McDonald, J. R.: Keratoacanthoma versus squamous-cell carcinoma, *390

Moreci, A. P.: See Farber, E. M., jt. auth.

Moschella, S.: See Tolman, M., jt. auth.

N

Narus, V.: See Driver, J. R., jt. auth.

Nelson, C. T.: Dermatomyositis, 362

Nelson, L. M.: Comedo formation as late complication of herpes zoster, 118

Netherton, E. W., and Campbell, G. R.: Mycosis fungoides, 128

Niedelman, M. L.: Pachyonychia congenita, 249
and Mehregan, A.: Leloir's erythematoid lupus vulgaris, 248

Nishimura, N.; Yasui, M.; Okamoto, H.; Kanazawa, M.; Kotake, Y., and Shibata, Y.: Intermediary metabolism of phenylalanine and tyrosine in diffuse collagen diseases: I. presence of 2,5-dihydroxyphenylpyruvic acid in urine of patients with collagen disease, *255

Nordstrom, R. C.: See Lincoln, C. S., Jr., jt. auth.

O

O'Connor, F. M.: Erythema multiforme exudativum (Stevens-Johnson syndrome): report of 2 cases with postmortem findings and comment, *532

Okamoto, H.: See Nishimura, N., jt. auth.

Olansky, S., and Garson, W.: Treatment of syphilis with antibiotics other than penicillin, *648

Olmstead, E. G., and Lunseth, J. H.: Skin manifestations of chronic acidosis, *304

Omens, D.; Omens, H., and Gecht, M. L.: Case for diagnosis: epithelial nevus; lichen striatus? 605

Omens, H.: See Omens, D., jt. auth.

Orfuss, A. J.: Granulomatous dermatitis of axillae, 748
Lichen sclerosus et atrophicus, 743
Monilethrix in twins, 475
and Cassell, R.: Lichen planus disseminatus (follow-up), 473

P

Panja, G., and Chaudhuri, S. N.: Granuloma of skin resembling histiocytoma cutis, *651

Pearson, R. W.: See Lorincz, A. L., jt. auth.

Perloff, W. H.: Adrenocortical hyperplasia, selective; hirsutism, 246, 247

Peters, H. A.: See Woods, S. M., jt. auth.

Peterson, J. B.: See Farber, E. M., jt. auth.

Pinkus, H.: See Kelly, E. W., Jr., jt. auth.
See Plotnick, H., jt. auth.

Plotnick, H., and Pinkus, H.: Epidermal vs. dermal fingerprint: experimental and anatomical study, *12

Polley, H. F.: See Montgomery, H., jt. auth.

Post, C. F.: Alopecia areata associated with Turner's syndrome (ovarian dysgenesis), 353
Case for diagnosis: Hailey-Hailey disease? 622
Sycosis vulgaris, 624

Potts, L. W.: See Lascheid, W. P., jt. auth.

Preston, R. H.: See Goldman, L., jt. auth.

Price, H.: Porokeratosis (Mibelli), 477

Pugh, D. G.: See Montgomery H., jt. auth.

R

Rapaport, I. F.: See Kersting, D. W., jt. auth.

Rattner, H.: Consideration of dermatologic nomenclature, *1

Rebell, G.: See Lamb, J. H., jt. auth.

Reed, W. B.; Kierland, R. R., and Code, C. F.: Vascular reactions in chronically inflamed skin: I. mechanical stimuli to skin; inhibition of white dermographism, *91
and Kierland, R. R.: Vascular reactions in chronically inflamed skin: II. action of opinephrine and phentolamine (Regitine); action of acetylcholine and methacholine (Mecholyl), and the "delayed" blanch, *181

Reed, W. B.; Kierland, R. R., and Code, C. F.: Vascular reactions in chronically inflamed skin: III. action of histamine, the histamine releaser 48-80, and monoethanolamine nicotinate (Nicamin), *263

Reiner, E.: Case for diagnosis: nonsuppurative panniculitis, 744

Reinertson, R.: See Lorincz, A. L., jt. auth.

Richfield, D. F.: See Goldman, L., jt. auth.

Ringrose, E. J.: Hemangioma involving eyelid, 484

Robinson, H. M., Jr., and Ellis, F. A.: Cutis laxa, *656
Robinson, R. C. V., and Strahan, J. F.: Control of emotional factors in dermatoses, *486

Robinson, R. C. V.: See Robinson, H. M., Jr., jt. auth.

Rogers, J. D.: Lichen myxedematosus, 619

Ronchese, F.: Dermatomegaly, *666
Kaposi's sarcoma: overlooked essay of 1882, *542
See Mescon, H., jt. auth.
See Schiff, B. L., jt. auth.

Rothman, S., and Lorincz, A. L.: Hair conference in London, *104

Rubin, A.: Dermatitis of fingers from rosary beads, 732

S

Sachs, P. M.: See Canizares, O., jt. auth.

Sage, R. D.: See Farber, E. M., jt. auth.
See Walton, R. G., jt. auth.
and Farber, E. M.: Pathergic granulomatosis, 482

Sato, S.: See Driver, J. R., jt. auth.

Sauer, W. G.: See Kierland, R. R., jt. auth.

Schiff, B.: Porphyria cutanea tarda, 465, 466
See Tye, M. J., jt. auth.
Kern, A. B., and Ronchese, F.: Steatocystoma multiplex, *516

Schmid, J. F.: See Becker, F. T., jt. auth.

Schneidman, H. M.: See Farber, E. M., jt. auth.
See Sullivan, T., jt. auth.
and Johnsen, R. E.: Case for diagnosis: lymphoma? reticuloendotheliosis (Hand-Schuller-Christian type)? 143
and Snyder, A. H.: Incontinentia pigmenti, 144

Schuster, D. S.; Lea, W. A., Jr.; Block, W. D., and Curtis, A. C.: Electrophoretic studies in psoriasis, *713

Schweich, L.: Scleroderma (circumscribed), 358

Scully, J. P.: Lichen sclerosus et atrophicus, 763

Segal, A. E., and Costello, M. J.: Kaposi's sarcoma superimposed on erythroderma psoriaticum, *642

Senear, F. E., and Haeberlin, J. B., Jr.: Pacial granuloma with eosinophilia, xanthelasma, and histiocytoma, with xanthelomatous change in one, 609

Senn, P.: See Burgoon, C. F., jt. auth.

Sevastianos, D.: See Szolomajer, T., jt. auth.

Shanon, J.: Dermatologic and psychiatric study perphenazine (Trifalon) in dermatology, 119; correction, 445

Shaw, R. F.: See Wheeler, C. E., jt. auth.

Sheard, C., Jr.; Spoor, H. J., and Abel, R.: Contact dermatitis from "high-speed duplicator" papers: new disease of office workers, *435

Shibata, Y.: See Nishimura, N., jt. auth.

Shoemaker, R. J.: See Guy, W. B., jt. auth.

Silverberg, M. G.: Allergic eczematous contact dermatitis due to Thermo-Fax paper, 741

Silvers, S. H.: Multiple idiopathic hemorrhagic sarcoma: report of case that remained symptom-free for more than 16 years after treatment, 337

Skipworth, G. B.: See Williams, R. M., jt. auth.

Sloane, M.: Epidermolysis bullosa, 356

Smith, F. D.; Miller, N. G.; Carnazzo, S. J., and Eaton, W. B.: Insect bite by Arilus cristatus, North American reduviid, *324

Snyder, A. H.: See Schneidman, H. M., jt. auth.

Spangler, A. S.: Depressed scars treated by injection of fibrin foam, 458

Spiller, W. F.: See Knox, J. M., jt. auth.

Spoor, H. J.: See Sheard, C., Jr., jt. auth.

Steiner, K.: Histochemical observations on parakeratosis, *586

Sternberg, T. H.: See Maxwell, M., jt. auth.

and Swift, S.: Follicular lymphoma (lymphoma cutis; Brill-Symmers Disease; Spiegler-Fendt sarcoid) of left facial and forehead region, with metastatic involvement of skull and regional lymph nodes, 233

Stewart, J. J.: See Walker, A. E., jt. auth.

Strahan, J. F.: See Robinson, H. M., Jr., jt. auth.

Stritzler, C.: Disseminated discoid lupus erythematosus vs. polymorphous light eruption, 746

Psoriasiform secondary syphilis in a penicillin-sensitive patient, 476

Stromeyer, H.: See Aaron, J. N., jt. auth.

Sullivan, T., and Schneidman, H. M.: Case for diagnosis: porokeratosis of Mibelli; epithelial nevus, 482

Swift, S.: See Sternberg, T. H., jt. auth.

Szolomajer, T.; Das, B., and Sevastianos, D.: Lichen ruber moniliformis, 616

Das, B., and Sevastianos, D.: Parapsoriasis retiformis; parakeratosis variegata, 617

Szymanski, F. J.: Massive congenital hemangioma of right buttock, right lower extremity, and genitalia with metastatic angiomatous lesions,

T

Teplitz, R.: See Brennan, B. B., jt. auth.

Tiong Hoo Tio and Leijnse, B.: Porphyria cutanea tarda, *568

Tolman, M.: Dermatitis herpetiformis, 462

and Moschella, S.: Axillary granuloma due to underarm deodorant, 469

Torres, V. M.: See Canizares, O., jt. auth.

Tuura, J. L.: See Becker, F. T., jt. auth.

Tye, M. J.; Ansell, H. B.; Wolf, M.; Appel, B., and Schiff, B.: Treatment of chronic lupus erythematosus: effectiveness of Plaquenil and APA (Aralen 65 mg., Plaquenil 50 mg., Atabrine 25 mg.) as compared with Aralen, with observations on side-reactions and toxicity; report and presentation of unusual cases, 454

U

Unrau, S.: See Dougherty, J. W., jt. auth.

Underwood, L. J., and Green, W. S.: Allergic angiitis? 132

V

Vander Ploeg, D. E.: Treatment of port-wine hemangiomas by electrodisiccation, 732

Vegas, F. K.: See Canizares, O., jt. auth.

W

Walker, A. E., and Stewart, J. J.: Dermatitis herpetiformis, 615

Walik, S.: See Bluefarb, S., jt. auth.

See Cornbleet, T., jt. auth.

Walton, R. G., and Sage, R. D.: Cutaneous Hodgkin's disease, 139

Webster, J.; Huff, S., and Latoni, J.: Scleredema adultorum, 601

Huff, S., and Yazdi, H. M.: Localized lymphedema, 605

Huff, S., and Yazdi, H. M.: Scleroderma(?), 602

Huff S., and Yazdi, H. M.: Toxic vascular eruption, 605

Wheeler, C. E., and Cawley, E. P.: Unusual case of blastomycosis occurring during pregnancy, 120

Shaw, R. F., and Cawley, E. P.: Branchial anomalies in 3 generations of 1 family, *715

Williams, R. M., and Skipworth, G. B.: Case for diagnosis: dermatomyositis; scleroderma? 480

and Skipworth, G. B.: Eosinophilic granuloma, 480

Winer, L. H.: Black hair tongue: comparative study of black hair tongue, geographic tongue, and drug eruption of tongue, *97

Wolf, M.: See Tye, M. J., jt. auth.

Woods, S. M.; Peters, H. A., and Johnson, S. A. M.: Cutaneous porphyria with porphobilinogenuria: review and report of case treated by chelation, *559

Wright, E. T., and Matte, M. L.: Lupoid sycosis, 234

Wrong, N. M.: Treatment of carcinoma of alae nasi by fractional doses of x-rays, *73

Y

Yasui, M.: See Nishimura, N., jt. auth.

Yazdi, H. M.: See Bluefarb, S., jt. auth.

See Cornbleet, T., jt. auth.

See Webster, J., jt. auth.

Young, A. W., Jr.: Dynamics of autosensitization dermatitis: clinical and microscopic concept of autoeczematization, *495

Erythema multiforme, 622

See Montgomery, R. M., jt. auth.

Z

Zakon, S. J.: See Johnston, J. H., jt. auth.

Zimmerman, M. C.: Anesthesia and antisepsis with benzalkonium chloride (Zephiran) ice cubes, 122

SUBJECT INDEX TO VOLUME 77

The following index contains an alphabetical list of significant subjects presented in this volume. Books reviewed are indexed alphabetically by title under the heading "BOOKS." Obituaries are indexed under the heading "DEATHS." Society Transactions are listed under that heading, with individual papers indexed under appropriate headings.

A

ABSTRACTS FROM CURRENT LITERATURE, 146, 372, 491, 626, 764

Acanthosis
nigricans, juvenile: case [Cornbleet et al.], 604

Acariasis
pigeons as vectos of Dermanyssus gallinae (DeGeer, 1778) [DeOreo], *432

Acidosis
chronic: skin manifestations [Olmstead & Lunseth], *304

Acrodermatitis
chronica atrophica: squamous-cell carcinoma in treated by skin grafting [Dougherty], 349
enteropathica, atypical: case for diagnosis [Fisher], 745

Acrosclerosis
and systemic sclerosis [Ingram], *79

Actinomycosis
case [Farber et al.], 483
case [Montgomery], 357
cervicofacial, probable: case for diagnosis [Kozikowski], 613

Addison's disease
case [Cornbleet et al.], 602

Adrenal cortex
hyperplasia, selective, and hirsutism: cases [Perloff], 246

Allergy
prevention of allergic sensitization [Baer], *682
allergic angiitis: case [Underwood & Green], 132

Alopecia
areata, with ovarian dysgenesis [Post], 353
diffuse (early pseudopelade?): case [Gross], 756
universalis: case [Claiborne], 141
universalis: results of lacal injections of prednisolone [Hurlbut], 623

American Academy of Dermatology
applications for scientific exhibits, 493, 633

American Board of Dermatology, Inc.
special report, 438

Amodiaquin (Camoquin)
toxic manifestations [Bleil], 106

Amphotericin B
favorable response of cryptococcosis to [Crounse & Lerner], *210

Amyloidosis
primary: case [Lever], 456

Antibiotics
treatment of syphilis with [Olansky & Garson], *648

Apparatus
ear-piercing ear ring [Brown], 107

Aphthosis
case [Fromer], 459

Arilus cristatus
insect bite by [Smith et al.], *324

Atrophoderma
idiopathic, of Pasini and Pierini [Canizares et al.], *42
of Pasini: lichen sclerosus et atrophicus with [Gross], 354
of Pasini: case [Canizares], *236

B

Behcet's syndrome: See Aphthosis

Benzalkonium chloride
ice cubes containing: anesthesia and antisepsis with [Zimmerman], 122

Black hair tongue: See under tongue

Blastomycosis
unusual case during pregnancy [Wheeler & Cawley], 120

Blood
fats: hyperlipemia, idiopathic, and primary hypercholesteremic xanthomatosis [Lever & Klein], 461

BOOKS
Allergy in Pediatric Practice [Sherman & Kessler], 494
Atlas de dermatologie: en couleurs [Graciansky & Boulle], 374
Biochemical Disorders in Human Disease [Thompson & King], 494
Clinical and Immunologic Aspects of Fungous Diseases [Wilson], 767
Cosmetics: Science and Technology [Sagarin, ed.], 374
Dermatologist's Handbook [Welsh], 376
Histologie der Hautkrankheiten: Gewebsveraenderungen unter Beruecksichtigung ihrer Entstehung und ihres Ablaufs [Gans & Steigleder], 375
Introduction to Medical Mycology. Ed. 4 [Lewis et al.], 767
J. A. M. A. Clinical Abstracts of Diagnosis and Treatment, 376
Kaposi's Sarcoma [Bluefarb], 768
Tumors of Skin [Lund], 374
Year Book of Dermatology and Syphilology (1956-1957 Year Book Series) [Baer & Witten, eds.], 375

Branchial anomalies
cysts and sinuses in 3 generations of one family [Wheeler et al.], *715

Brill-Symmers disease: See Lymphoma, follicular

Bromoderma
case [Cornbleet et al.], 606

C

Calcinosis cutis
generalized scleroderma and [Goltz], 239

Camoquin: See Amodiaquin

Cantharidin
treatment of warts [Epstein & Kligman], *508

Carcinoid
functioning: cutaneous manifestations [Kierland et al.], *86

Carcinoid syndrome: See Carcinoid, functioning

Carcinoma: See also region or organ affected

Carcinoma
epidermoid: hypertrophic lichen planus with [Brennan & Teplitz], 332
erysipelatodes and telangiectaticum [Ingram], *227
sebaceous, developing in area of radiodermatitis [Justi], *195
squamous-cell, versus keratoacanthoma [Moragas et al.], *390

Charts
lantern slides, and comments in medical writing [Kierland & Hewitt], *299

Chloracne
plastic planning for [Hubler], 111

Chloroquine
use in rheumatoid arthritis: exfoliative dermatitis as complication of [Granirer], 722

Collagen disease
or dermatomyositis: case [Cipollaro], 757
phenylalanine and tyrosine: intermediary metabolism in [Nishimura et al.], *255

Comedos
late complication of herpes zoster [Nelson], 118

Congressus internationalis dermatologorum
cases to be published in book form, 373

CORRESPONDENCE
atopic dermatitis [Lobitz], 593
fleshy pigmented moles [Templeton], 126
pigmentation in alopecia totalis [Lubowe], 593
pityriasis rosea [Curth et al.], 126
radiation erythema [Belisario], 125
therapeutic effect of riboflavin [Maynard], 445
Whitfield's ointment [Anderson], 125

Cryptococcosis
case with unusual skin lesions and favorable response to Amphotericin B [Crounse & Lerner], *210
cutaneous, without apparent systemic involvement [Lerner & Crounse], 457

Cutis
laxa [Robinson & Ellis], *656
gyrata, atypical: skin changes resembling cutis gyrata [Merenlender], *669

Cysts
milial: use of pumice to eradicate [Bernhardt], 106

D

Darier's disease
case [Dorsey], 758

DEATHS
Anderson, Nelson Paul, 595
Conrad, Adolph H., Sr., 736
Hazel, Onis George, 446
Moore, Joseph Earle, 448
Oliver, Edward Oliver, 450
Nekam, Louis, 340
Strauss, Maurice, J., 738
Tommasi, Lodovico, 124

Deodorants
granuloma, axillary, due to [Tolman & Moschella], 469

Dermabrasion
effect on fingerprints [Burks], *8

Dermanyssus gallinae
pigeons as vectors [DeOreo], *422

Dermatitis
autosensitization: dynamics [Young], *495
contact, due to Thermo-Fax paper [Cipollaro], 334
contact, due to Thermo-Fax paper [Domonkos], 625
contact, due to Thermo-Fax paper: cases [Silverberg; Fisher], 741
due to copying paper [Kendrick], 334
eczematous, chronic: multiple keratoacan thomas arising from [Machacek], 365
exfoliative, as complication of chloroquine therapy for rheumatoid arthritis [Granirer], 722
factitia, or vasculitis: case for diagnosis [Lewis], 363
of fingers, from rosary beads [Rubin], 732
granulomatous, of axillae: case [Orfuss], 748
herpetiformis: case [Tolman], 462
herpetiformis [Walker & Stewart], 615
herpetiformis: response to Kynex [Bluefarb et al.], 607
herpetiformis, under treatment [Cornbleet et al.], 603
medicamentosa: meprobamate ichthyosis [Cornbleet & Derbes], 600
poison ivy (Rhus) [Kligman], *149
radiodermatitis: sebaceous carcinoma developing in area of [Justi], *195
ragweed: case [Brodey], 751
ring: primary irritation from action of salt on jewelry alloys [Gaul], *526
seborrheic: osteoporosis with compression fractures of spine following steroid therapy for [Fisher], 475

Dermatologic preparations
clinical trial [Kinmont], *635

Dermatology
nomenclature [Rattner], *1

Dermatomegaly [Ronchese], *666

Dermatomyositis
case [Nelson], 362
or collagen disease: case [Cipollaro], 757

Dermatomyositis—continued
or scleroderma: case for diagnosis [Williams & Skipworth], 480

Dermatosis
control of emotional factors in [Robinson et al.], *486
pustular, subcorneal [Greenbaum & Lee], *512

Dermographism
white: inhibition [Reed et al.], *91

Disease
inherited: detection of genetic carriers [Curth], 342

Drug eruptions
of tongue: comparative study of black hair tongue, geographic tongue, and [Winer], *97

Duke University School of Medicine
course in medical mycology, 373

Duplicator papers: See also Thermo-Fax paper
dermatitis, contact, from [Sheard et al.], *435

Dyskeratosis
congenita, with pigmentation, dystrophia unguium, and leukoplakia oris [Garb], *704
follicularis, isolated [Graham & Helwig], *377

E

Earl D. Osborne Fellowship in Dermal Pathology, 633

Ear rings
ear-piercing [Brown], 107

Eczema
atopic: psychophysiological concept [Guy & Shoemaker], *34
nummular: case for diagnosis [Miller], 245

Electrodessiccation
port-wine hemangiomas treated with [Vander Ploeg], 732

Epidermolysis
bullosa [Sloane], 355

Epinephrine
and phentolamine: action on blood vessels of chronically inflamed skin [Reed & Kierland], *181

Epithelioma
basal-cell, arising from verrucous nevus [Levan], 131
basal-cell: extruded nodules simulating molluscum contagiosum bodies [Goldman et al.], 331
squamous-cell, in acrodermatitis chronica atrophica, treated by skin grafting [Dougherty], 349

Epitheliomatosis
superficial, treated: case [Beerman et al.], 761

Eruptions
drug, due to fumagillin, complicated by trichophytosis [Anderson & Fleck], 720
unusual, of skin, of unknown etiology [Hailey], 729
toxic vascular: case [Webster et al.], 605

Erythema
multiforme: case [Bleier], 247
multiforme: case [Young], 622
multiforme exudativum: report of 2 cases with postmortem findings [O'Connor], *532

Erythema—continued
multiforme, lupus erythematosus bullosus, or pemphigus erythematosus [Brodey], 237
nodosum [Michelson], *546

Erythroderma
ichthyosiform, congenital: case [Lascheid et al.], 612
of infancy: differential clinical study [Barker et al.], *201
psoriaticum: Kaposi's sarcoma superimposed on [Segal & Costello], *642

F

Fingerprints
effect of dermabrasion on [Burks], *8

Fingers
eruption from rosary beads [Rubin], 732

Fumagillin
drug eruption due to, complicated by trichophytosis [Anderson & Fleck], 720

Fungi
fungous disease as complication of steroid therapy [Burns], *686
ringworm: parasitism of [Barlow & Chattaway], *309

G

Gamma globulin
agammaglobulinemia, congenital, in brothers [Fisher], 474
hypogammaglobulinemia: pyoderma gangrenosum with [Bloom et al.], *412

Geographic tongue: See under Tongue

Grafts and grafting
skin: squamous-cell carcinoma in acrodermatitis chronica atrophica treated by [Dougherty], 349

Granuloma
annulare, generalized: case [Miller], 243
axillary, due to underarm deodorant: case [Tolman & Moschella], 469
eosinophilic: cases [Williams & Skipworth], 480
facial: case [McCarthy], 458
facial, with eosinophilia, xanthelasma, and histiocytoma, with xanthelomatous changes [Senear and Haeberlin], 609
reticulohistiocytic: See Reticulohistiocytoma
of skin, resembling histiocytoma cutis [Panja & Chaudhuri], *651

Granulomatosis
disciformis chronica progressive [Epstein], 480
pathergic: case [Sage & Farber], 482

H

Hair conference in London [Rothman & Lorincz], 104

Hand-Schuller Christian disease
xanthelasma disseminatum with [Lavette], 360

Hemangioma
case involving eyelid [Ringrose], 484
congenital, massive, of right buttock, right lower extremity, and genitalia, with metastatic angiomatous lesions [Szymanski], 610
keratotic [Loria et al.], *216

Hemangioma—continued
port-wine: treatment by electrodessication [Vander Ploeg], 732

Hemochromatosis
case [Cornbleet et al.], 603

Herpes
zoster: comedo formation as late complication [Nelson], 118

Histamine
action of, and of histamine releaser 48-80 on vascular reactions of chronically inflamed skin [Reed et al.], *263

Histiocytoma
cutis: granuloma of skin resembling [Panja & Chaudhuri], *651

Hodgkin's disease
cutaneous: case [Walton & Sage], 139

Hydrocortisone
acetate: effect on lichen simplex chronicus by multiple vibra-puncture technique [Aaron], *576

Hydroquinone
monobenzyl ether: leukoderma following application of [Canizares et al.], *220

Hyperlipemia: See Blood, fats

Hypotrichosis
congenital: case [Lorincz et al.], 607

I

Incontinentia pigmenti: See under Pigment

Insect bites
by Arilus cristatus [Smith et al.], *324

International Association of Allergology
third congress, 373

International Congress of Dermatology
directions for education of dermatologists and rules and regulations of international league of dermatological societies, 631

Iodine
combined with polyvinylpyrrolidone in eczematoid ringworm [Cornbleet et al.], 335

J

Jewish Hospital Association, Cincinnati
histoplasmosis seminar, 373

K

Kaposi's sarcoma: See Sarcoma, Kaposi's

Keratoacanthoma
multiple, arising from chronic eczematous contact dermatitis [Machacek], 365
multiple: report of extensive case and its response to therapy [Ephraim & Kaufman], *191
versus squamous-cell carcinoma [Moragas et al.], 390

Kynex: See Sulfamethoxypyridazine

L

Leiomyoma
cutis: case [Griem], 601

Leishmaniasis
cutaneous: case [Brodey], 753

Leprosy
tuberculoid [Barker], 366

Leukemia
cutis, acuta: case [May], 760

Leukomelanoderma
following application of hydroquinone monobenzyl ether [Canizares et al.], *220

Leukoplakia
oris, pigmentation, and dystrophia unguium: dyskeratosis congenita with [Garb], *704

Lichen
myxedematosus: case [Rogers], 619
planus, atrophic: case for diagnosis [Kern], 370
planus disseminatus: follow-up [Orfuss & Cassell], 473
planus, hypertrophic, with epidermoid carcinoma [Brennan & Teplitz], 332
planus or pilaris [Machacek], 367
ruber moniliformis [Szolomajer & Sevastianos], 616
sclerosus et atrophicus: case [George], 138
sclerosus et atrophicus: case [Laymon & Balogh], 238
sclerosus et atrophicus: case [Scully], 763
sclerosus et atrophicus: cases [Franks; Orfuss], 743
sclerosus et atrophicus, generalized, with band-like scleroderma (Koebner phenomenon and lichen sclerosus): case [Gross], 752
sclerosus et atrophicus with Pasini's atrophoderma [Gross], 354
planus of buccal mucosa: treatment with vitamin A buccal tablets [Johnston & Zakon], 113
planus, bullous: case for diagnosis [Driver et al.], 129
simplex chronicus: vibra-puncture technique in treatment of [Aaron et al.], *576
striatus, or epithelial nevus: case for diagnosis [Omens et al.], 605

Light
fluorescent (blue-green): sensitivity to [Lamb et al.], 519

Lupus
erythematosus bullosus, pemphigus erythematosus, or erythema bullosum due to Aralen: case for diagnosis [Brodey], 237
erythematosus, chronic: treatment with Aralen, Plaquenil, and Atabrine [Tye et al.], 454
erythematosus, discoid, disseminated: case [Stritzler], 746
miliaris disseminatus faciei: case [Haserick et al.], 128
vulgaris, erythematoid, of Leloir: case [Niedelman & Mehregan], 248

Lymphedema
congenital, of extremities and face [Allende & Franzblau], 135
localized: case [Webster et al.], 604

Lymphoma
case for diagnosis [Miller], 244

Lymphoma cutis: See Lymphoma, follicular
follicular, with metastatic involvement of skull and regional lymph nodes [Sternberg & Swift], 233
or reticuloendotheliosis (Hand-Schuller-Christian type): case for diagnosis, 143

M

Mecholyl: See Methacholine

Medical writing
charts, lantern slides, and comments [Kierland & Hewitt], *299

Melanoma
malignant, with melanotic freckle (Hutchinson): case [Kopf], 749

Meprobamate
evaluation in management of selected dermatoses [Becker et al.], *406

Metal alloys
ring dermatitis: primary irritation from action of salt on [Gaul], *526

Methacholine
acetylcholine and: action on blood vessels of chronically inflamed skin [Reed & Kierland], *181
oral: effects on sunburn and suntan [Daniels et al.], *503

8-Methoxypsoralen: See Methoxsalen

Mima polymorpha
skin disease due to [Dexter et al.], 109

Molluscum
contagiosum: extruded basal-cell epithelioma nodules simulating molluscum bodies [Goldman et al.], 331
sebaceum: case [Lubowe & Mandel], 747

Mongolism
skin in: clinicopathologic study [Kersting & Rapaport], *319

Monilethrix
in twins [Orfuss], 475

Monoethanolamine nicotinate
histamine, histamine releaser 48-80, and on vascular reactions of chronically inflamed skin [Reed et al.], *263

Mouth
buccal mucosa: treatment of lichen planus of, with vitamin A buccal tablets [Johnston & Zakon], 113

Mycosis
fungoides: case [Netherton & Campbell], 128
fungoides, premycotic: case [Driver & Sato], 612
fungoides, treated with cathode rays [Appel], 471

Myxedema
circumscribed, with thyrotoxicosis [Kesten], 351

N

Nails, digital
dystrophia unguium, pigmentation, and leukoplakia oris: dyskeratosis congenita with [Garb], *704

Navaho Indians
dermatological observations on reservation [Brandt], *581

Neurodermatitis
localized: case, 131
localized: vibra-puncture technique in treatment of [Aaron et al.], *576

Neurofibromatosis
case [Allington], 484

Nevocarcinoma
or junction nevus: case for diagnosis [Costello], 755

Nevus
epithelial, or lichen striatus: case for diagnosis [Omens et al.], 605
epithelial, or porokeratosis of Mibelli: case for diagnosis [Sullivan & Schneidman], 482
junction, or nevocarcinoma: case for diagnosis [Costello], 755
junction, with spontaneous clinical disappearance [Braitman], 721
unius lateris [Cornbleet], 600
verrucous: basal-cell epithelioma arising from, 131

New, Newer, and Newest, 127, 251, 339, 453, 599, 735

Newcastle disease
erythema probably related to recent infection [Babalian], 133

Nicamin: See Monoethanolamine nicotinate

Noah Worcester Dermatological Society, 633

Nomenclature
dermatologic [Rattner], *1

Nose
alae nasi: treatment of carcinoma of, by fractional doses of x-rays [Wrong], *73

O

Omphalitis
primary, in adult [Kern], *297

Osteoporosis
with compression fractures of spine following steroid therapy for long-standing seborrheic dermatitis or psoriasis [Fisher], 475

Ovaries
dysgenesis, ovarian, with alopecia areata [Post], 353

P

Pachyonychia
congenita: case [Niedelman], 249

Panniculitis
case [Barker], 242
nonsuppurative: case [Reiner], 744
nonsuppurative, nonfebrile [Garb], 744

Papillomatosus
cutaneous, nummular and confluent [Montgomery & Young], *396
histochemical observations [Steiner], *586

Parakeratosis
variegata, or parapsoriasis retiformis [Sjolomajer], 617

Parapsoriasis
retiformis, or parakeratosis variegata [Szolomajer et al.], 617

Pasini's atrophoderma: See Atrophoderma, idiopathic

Pemphigus
erythematosus, lupus erythematosus bullosus, or erythema multiforme bullosum due to Aralen: case for diagnosis [Brodey], 237

Pemphigus—continued
familial benign chronic (Hailey-Hailey disease): case, 625
familial benign chronic (Hailey-Hailey disease): case for diagnosis [Post], 622
foliaceous or erythematosus, or subcorneal pustular dermatosis: case for diagnosis [Burgoon], 368
proteolytic activity in skin and blood in [Dougherty et al.], *281

Periadenitis
mucosae necrotica recurrens: case, 750

Pernio
chronic: case [Farber et al.], 144

Perphenazine
use in dermatology: dermatologic and psychiatric study [Shanon], 119

Phentolamine
epinephrine and: action on blood vessels of chronically inflamed skin [Reed & Kierland], *181

Phenylalanine
and tyrosine: intermediary metabolism in diffuse collagen diseases [Nishimura et al.], *255

Pierini's atrophoderma: See Atrophoderma, idiopathic

Pigment
incontinentia pigmenti: case [Kern], 369
incontinentia pigmenti: case [Schneidman & Snyder], 144
incontinentia pigmenti (reticular type): case [Curth], 747
pigmentation, dystrophia unguium, and leukoplakia oris: dyskeratosis congenita with [Garb], *704

Pityriasis
rubra pilaris, tinea corporis, or atypical acrodermatitis enteropathica: case for diagnosis [Fisher], 745

Planing
for precancerous skin: follow-up study [Epstein], *676

Poikiloderma
Thomson's; ectodermal and mesodermal dysplasia, or Rothmund's syndrome: case for diagnosis [Becker & Lindsay], 620

Poison ivy
dermatitis due to: experimental study [Kligman] *149

Polyvinylpyrrolidone
with iodine, in eczematoid ringworm [Cornbleet et al.], 335

Porokeratosis
of Mibelli: case, 241
of Mibelli: case [Price], 477
of Mibelli, or epithelial nevus: case for diagnosis [Sullivan & Schneidman], 482

Poroma
eccrine [Knox & Spiller], 726

Porphyria
cutanea tarda [Tiong Hoo Tio & Leijnse], *568
cutanea tarda: case [Epstein & Epstein], 142
cutanea tarda: case [Foster], 618
cutanea tarda [Schiff], 465, 466

Porphyria—continued
cutaneous, with porphobilinogenuria: case treated by chelation [Woods et al.], *559

Prednisolone
results of local injections in alopecia universalis [Hurlbut], 623

Pregnancy
blastomycosis during [Wheeler & Cawley], 120

Psoriasis
electrophoretic studies in [Schuster et al.], *713
pustular [Ingram], *314
radiation therapy: clinical evaluation [Harber], *554

Pumice
use to eradicate milial cysts [Bernhardt], 106

Pyoderma
gangrenosum associated with hypogammaglobulinemia [Bloom et al.], *412
gangrenosum: unusual syndrome of ulcers, vesicles, and arthritis [Ayres & Ayres], *269

R

Radiation
in treatment of psoriasis: clinical evaluation [Harber], *554

Radiodermatitis: See under Dermatitis

Regitine: See Phentolamine

Reticuloendotheliosis
or lymphoma: case for diagnosis [Schneidman & Johnsen], 143
in sisters [Dougherty], 347

Reticulohistiocytic granuloma: See Reticulohistiocytoma

Reticulohistiocytoma [Montgomery et al.], *61

Rhus: See Poison ivy

Ringworm
eczematoid: use of polyvinylpyrrolidone in [Cornbleet et al.], 335
fungi: parasitism of [Barlow & Chattaway], *399

S

Sarcoid
Boeck's: case, 750

Sarcoidosis
case [Machacek], 357

Sarcoma
Kaposi's: overlooked essay of 1882 [Ronchese], 542
Kaposi's, superimposed on erythroderma psoriaticum [Segal & Costello], *642
multiple idiopathic hemorrhagic [Silvers], 337

Scars
depressed, treated with injection of fibrin foam [Spangler], 458

Scientific Exhibits
control of emotional factors in dermatoses [Robinson et al.], *486

Scleredema
adultorum: case [Webster et al.], 601

Scleroderma
band-like, with generalized lichen sclerosus et atrophicus: case [Gross], 752
case [Webster et al.], 602
circumscribed: case [Schweich], 358
or dermatomyositis: case for diagnosis [Williams & Skipworth], 480
generalized: case, 239
generalized, and calcinosis cutis: case [Goltz], 239
sclerodermoid syndrome with internal tumor [Maxwell et al.], 232
treated with relaxin [Bluefarb et al.], 604

Sclerosis
systemic: acrosclerosis and [Ingram], *79

Sensitization
allergic: prevention [Baer], *682

Skin
capillary circulation [Davis & Lawler], *690
inflamed, chronically: action of histamine, histamine releaser 48-80, and monoethanolamine nicotinate on vascular reactions [Reed et al.], *263
inflamed, chronically: vascular reactions [Reed & Kierland], *91, *181
precancerous: planing for [Epstein], 676
vascular reactions [Reed & Kierland], *91, *181
vascular reactions: delayed blanch [Reed & Kierland], *181
vascular reactions: white dermographism [Reed & Kierland], *91

Skin planing
for chloracne [Hubler], 111

Society Transactions
Atlantic Dermatological Conference, 454
Bronx Dermatological Society, 342, 473, 741
Chicago Dermatological Society, 600, 604
Cleveland Dermatological Society, 128, 130, 612, 615
Detroit Dermatological Society, 750
Kansas-St. Louis Dermatological Society, 346
Los Angeles Dermatological Society, 131, 232, 618
Manhattan Dermatological Society, 236, 347, 751
Metropolitan Dermatological Society of Los Angeles, 477, 758
Metropolitan Dermatological Society of New York, 622
Minnesota Dermatological Society, 238
New England Dermatological Society, 133, 454
New York Academy of Medicine, Section of Dermatology and Syphilology, 350, 359
New York Dermatological Society, 242
Philadelphia Dermatological Society, 761
Rhode Island Dermatological Society, 369
San Francisco Dermatological Society, 134, 138, 142, 480, 483

Spinal cord: See also Central nervous system

Sporotrichosis
cutaneous, disseminated, with systemic involvement [Arthur & Allbrittain], *187

Steatocystoma
multiplex [Schiff et al.], 516

Steroids
fungous disease as complication of therapy with [Burns], *686
topical: antipruritic effects [Frank], *433

Stevens-Johnson syndome: See Erythema multiforme exudativum

Stewart-Treves syndrome
case [Andrews & Machacek], 364

Sulfamethoxypyridazine
response of dermatitis herpetiformis to [Bluefarb et al.], 607

Sunburn
and suntan: effects of oral methoxsalen on [Daniels et al.], *503

Sycosis
lupoid: case [Wright & Matte], 234
vulgaris: case [Post], 624

Syphilis
secondary, psoriasiform, ipenicillin-sensitive patient [Stritzler], 476
tertiary [Barker], 350
treatment with antibiotics other than penicillin [Olansky & Garson], *648

Syringocystadenoma
papilliferum, with nevus sebaceus: mixed tumor occurring as [Ludwig & Cohen], 116

Syringoma
case, 240

T

Tattoos
identification of pigment color in sections by polarized light [Lincoln & Nordstrom], 336

Thermo-Fax paper
dermatitis due to [Cipollaro; Kendrick], 334
contact dermatitis due to [Domonkos], 624
dermatitis, contact, due to: cases [Silverberg; Fisher], 714

Thyrotoxicosis
circumscribed myxedema with [Kesten], 351

Tinea: See also Ringworm
barbae due to Trichophyton rubrum, with tinea pedis, cruris, et unguium [Hyman], 352
corporis et capitis, due to Trichophyton tonsurans [Dunn], 483
corporis, pityriasis rubra pilaris, or atypical acrodermatitis enteropathica: case for diagnosis [Fisher], 745
versicolor "fluorescent papules" [Bluefarb et al.], 607

Tongue
black hair: comparative study of geographic tongue, drug eruption of tongue, and [Winer], *97

Trichophyton
rubrum: infection due to, complication drug eruption due to fumagillin [Anderson & Fleck], 720
tonsurans: tinea corporis et capitis due to [Dunn], 483

Trichromatrioma
entity separable from calcifying epithelioma of Malherbe [Hulett], *285

Trilafon: See Perphenazine

Tuberculid
lichenoid: case [Catinella], 468
rosacea-like: case [Catinella], 467

Tuberculosis
cutaneous, hematogenous: case [Appel], 468

Turner's syndrome: See Dysgenesis, ovarian, under Ovaries

U

Ulceration
recurrent, of legs: case for diagnosis [Goltz], 240

Ulcers
phagedenic [Dennie et al.], 346

Ulerythema
ophryogenes: case, 241

Urticaria
pigmentosa: solitary lesions in mother and daughter [Jacobs], 112
pigmentosa: studies on adult with [Davis et al.], *224

V

Vasculitis
or dermatitis factitia: case for diagnosis [Lewis], 363

Vibra-puncture technique
in treatment of localized neurodermatitis [Aaron et al.], *576

W

Warts
cantharidin treatment [Epstein & Kligman], *508

X

Xanthelasma
disseminatum: Hand-Schuller-Christian disease with [Lavette], 360
with hemosiderin deposits [Marciano], 359

Xanthoma
tuberosum multiplex: case [Costello], 758
hepatic cirrhosis with jaundice, nonspecific dermatitis, and [Haeberlin & Felix], 609

Xanthomatosis
hypercholesteremic: idiopathic hyperlipemia and [Lever & Klein], 461

Xeroderma
pigmentosum; multiple keratoses and basal-cell epitheliomas: multiple malignant melanomas [Mescon & Ronchese], 471

X-rays
fractional doses: treatment of carcinoma of alae nasi with [Wrong], 73

Z

Zephiran: See Benzalkonium chloride

UMI